

*LogiDrive*












Post & Parcel Airport – NORD DRIVESYSTEMS Factsheet

# Basic or Advanced?

## A comparison in numbers

---

# How to choose an efficient system?

TYPE	<i>LogiDrive</i> Basic IE3	<i>LogiDrive</i> Advanced IE5+	<i>LogiDrive</i> Advanced + IE5+		
LENGTH	 503 mm	 -2%	 493 mm	 -37%	 310 mm
WEIGHT	22,2 kg	 -17%	18,5 kg	 -3%	18 kg
SYSTEM EFFICIENCY	63,4 %	 +7,2%	70,6 %	 +12,1%	82,7 %

# How to choose an efficient system?

TYPE	ELECTRICAL POWER	DAYLY	WEEKLY	YEARLY	SAVINGS
<b>IE3</b> Basic	0,37 kW	5,92 kWh	35,52 kWh	1776 kWh	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border-left: 1px solid orange; border-right: 1px solid orange; padding: 0 10px;">-11 %</div> <div style="border-left: 1px solid orange; border-right: 1px solid orange; padding: 0 10px;">-9 %</div> <div style="border-left: 1px solid orange; border-right: 1px solid orange; padding: 0 10px;">-19 %</div> </div>
<b>IE5+</b> Advanced	0,33 kW	5,28 kWh	31,68 kWh	1584 kWh	
<b>IE5+</b> Advanced +	0,30 kW	4,8 kWh	28,8 kWh	1440 kWh	

**Our efficiency test was carried out under these conditions:**

- Operating hours: 16 h
- Operating days: 6 days
- Operating days: 300 days
- Operating hours: 4800 h/year